

Ne Y k S,a,e Ma, erni, Inf ma, in La

*e ie each h i, ial, ide, he f ll ing
inf ma, i n ab , is childbir, h acice and

*ced e. The inf ma, in can hel
be, er ndes, and ha, can e ec, learn
m e ab , childbir, h ch ice, and lan
f bab s bir, h.

M_S, f, he inf ma, i n i gi en in ercen, age, fall deli erie, cc wing in, he h s i i ald wing a gi en ear. F we am, le, if 20 bir, le, f 100 are b C_S ec, i n, he C_S ec, i n a, e ill be 20%. If e, er nal fe, al m ni, wing i s ed in 50, f 100 bir, le, when a e ill be 50%.

This informa, in, alone, denities, in the first part of the set o

The, e fbir, b c lda ec, hera, e a ell. S me h s i, at ers eciali ed s er ice, men h ere e ec, ed, ha e c m, lica, ed \neg high \neg ik bir, b, \neg h s e babile ere n, e ec, ed, de el n \neg mall . The ehs i, at can be e ec, ed, ha e higher a, e f, hes ecial \neg ced \neg e, han h s i, at, ha, d n, er, he es er ice.

This informa, i nate deen , , ell ab , \forall d $q \forall s' \forall$ licens ed mid if es \forall ac, ice. He ea, , he informa, i n can be sed hen discossing \forall is the information of \forall d \forall d

Y s h ld la an açi e le in making childbir, h, he kind fe e ience an,. T d s , need inf ma, i n. Take ar, in childbir, h re ara, i n class e and read b like al Ane, he ab , childbir, h. A. ki e, i n and de css r ch ice and in he i, h r d crr

lice and ife. Inf ma, i n ab , hing cand, ha e a heal h bab is a ailable a; www.health.ny.gov/community/adults/women/

Ra, e, f Selec, ed Rr ced re, in Childbir, h

(n mber), albir, la a,

(H _S i al Name) d∢ing
 % fb×i₁ts, exreC₅ec₁ins,
 % fb×ir₁h, eare-Primear C₅ec,in,
 % fb×ing ere Rerea, Csec, ins
 % fW men i,ha Preis Cseçin h
had a Vaginal Bir, h
 % $fbri_{t}$ ls, ere Deli eries, b Licens ed Mid i
 % fb√r, h, in ledE, ernalFe, alM ni, √inq
 % fb×i₁ls in ledln, ≪rnalFe, alM ni, √ring
 % fb×ir₁h₃ in ledL -F√rce _r s Delior
 % fb×r _i h _s in led Mid-F√rce _{is} Delier
 % fb×ir _t h _s ere Breech B×ir _t h _s Deliered
Vaginall
 % fbxi ₁ ls, in led Analge, ia
 % f Vaginal Bir; ls incl ded
General Ane, the ia
 % f Vaginal Bir, la incl ded
S inal Ane, the ia
 % f Vaginal Bir, la incl ded E, id ≺al
Ane, he ia d≺ing lab≺ ≺ deli er
 % f Vaginal Bir, la incl ded Paracer ical Ane, he ia
% fCs eqi ns incl ded
 General Ane, , he, ia
·
 % $f C_{\$}$ ec, i $r_{\$}$ incl ded S_{f} inal $A r_{\$}$, $h_{\$}$ ia % $f C_{\$}$ ec, i $r_{\$}$ incl ded
 E _i id ▼ al Ane, the ia
% fbir, h in led Ind cin fLab ≺
% fbir₁h₃ in ledAgmen,a,in fLab.▼
% f Vaginal Bir, ls incl ded E, s i, m
% finfan _s Fed An Brea, Milk

De niji ng

Anesthesia A medica, i n \checkmark , her agen, \S s ed , caseals feeling.

 $\begin{array}{lll} \textbf{General Anesthesia} & A g _{\$} \blacktriangleleft in _{\$} \text{a en } _{\$} \\ \text{medica, i } n _{\$} \text{ } _{\$} \text{ ed, } & \text{make, he m } _{\$} \text{ her} \\ \text{nc } _{\$} \text{ ci } _{\$} \text{ d} \blacktriangleleft ing \text{ deli er }. \end{array}$

Epidural Anesthesia A of gig gig en the ghame the ingle of ed in the muthor's look and men.

Paracervical Anesthesia A & g \S injeqed in, the cert i (ening f, he mb), \blacktriangleleft elie e the ain flab \blacktriangleleft .

Augmentation of Labor A of $g \$ s ed, hellab $\$ c $\$ raci $\$ s c $\$ n, in e $\$ bec $\$ mes $\$ n $\$ ngo.

Birthing Room An in-h $_{S}$, $_{i}$ all an angemen, in hich lab \checkmark , bir, h and immedia, ex ec. ex af, ex bir, h all cc \checkmark in , he $_{S}$ ame \checkmark m. In $_{S}$ me h $_{S}$, $_{i}$, a $_{S}$, $_{i}$, ma be called an LDR \checkmark LDRP.

Breech Birth A b**i** $_{t}$, h in hich, he infan, $_{s}$ b $_{tt}$ ck and/ \neg fee, en, or, he b**i** $_{t}$ h canal \neg $_{s}$.

C-section $A_S \blacktriangleleft gical$ $A_$

Primary C-section The m $_t$ here $_t$, e. en if $_s$ he has gi en bir $_t$ h. aginall before.

Repeat C-section When he m has had ne \neg m \neg e C_S eq i g \neg e i g l.

Episiotomy An inc \S in (c \S)s me \S ime \S made \S enlarge \S he aginal \S ening.

Fetal Monitoring Electronic recording for my acing and he bab shear, bear.

External Fetal Monitoring In I $\mbox{\ensuremath{\&}}_{1}$ he $\mbox{\ensuremath{\&}}_{2}$ mall in $\mbox{\ensuremath{\ensuremath{\&}}}_{3}$ men $\mbox{\ensuremath{\ensuremath{\&}}}_{4}$ held in $\mbox{\ensuremath{\ensuremath{\&}}}_{4}$ lace $\mbox{\ensuremath{\ensuremath{\ensuremath{\&}}}}_{4}$ he $\mbox{\ensuremath{\ensuremath{\ensuremath{\&}}}}_{4}$ abd men $\mbox{\ensuremath{\ensuremath{\ensuremath{\&}}}}_{4}$ lace $\mbox{\ensuremath{\ensuremath{\ensuremath{\&}}}}_{4}$ held in $\mbox{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\&}}}}}_{4}$ abd men $\mbox{\ensuremath{\ensuremath{\ensuremath{\&}}}}$ men $\mbox{\ensuremath{\ensuremath{\ensuremath{\&}}}}_{4}$ held in $\mbox{\ensuremath{\$

Internal Fetal Monitoring In I & ins α_1 ing α_2 mall, be in a ne in α_1 he α_2 and α_2 aching the internal be about α_3 be made be laced along ide α_4 he bab is head, mea in α_4 and α_4 in α_5 he made in α_4 and α_4 in α_5 he made in α_4 and α_4 in α_5 he made in α_5 he made

Forceps Delivery S_n n_S has ed in π men g, called f π ce g, are g ed, help deliver, he bab g head.

Low-Forceps Delivery $\log \pi$ meng π en $_{t}$ s ed n_{t} il, he bab $_{s}$ head ha, m . ed, m gh, the $_{t}$ el $_{s}$.

Mid-Forceps Delivery lig of mens ore sed before, he bab shead has med, for ghthe fels.

Infant Feeding from Birth to Hospital Discharge (e cl ding infans admi, ed, , he Ne na al In, en i e Care Uni, \ \ \ \ an few ed, \ \ \ m an , her h s (i al)

Fed Any Breast Milk Infans here fed not breat milk (be an method of milhe breat, bit le, control of the fed milk and form la.

Fed Exclusively Breast Milk Infan_s h ha e been fed nl breas, milk (i.e., n f \blacktriangleleft m la \blacktriangleleft a, er)s ince b \dot{r}_1 h.

Licensed Midwife A heal h care a lider in heal earling aining, care for mendoring regnanc, childbir, h, and fill ing, he bir, h fachild.

Medical Induction of Labor A medica, i n § s ed, s, ar, lab ▼ c n, aç i n§.

Rooming-In An awangemen, in hich, he m, her and infan, are cared for in, hes amerom for all $\neg a_S$ by an, ial, a_t , f, he da.

Vaginal Birth After C-section (VBAC)
The m , her has had a Cs eqin re i sl, b, deli es , his bab aginall.

After Delivery... In-Pa, ien, H_S, i, al C arage

Each heal h care in \P in Ne \P \P \P is \P in Ne \P \P \P in Ne \P \P in Ne \P \P in Ne \P

If ch se, lea e, he hs, i, al earlier, \checkmark in a, ien, c erage ill be e, ended, incl de a, lea, neh me care § i. The h me care § i, ill \checkmark ide aren, ed ca, in, as §, ance and \checkmark aining in brea, \checkmark b $_{11}$ le feeding, and an neces are ma, arnal \checkmark ne b \checkmark n clinical as \diamondsuit s mens. This ill be in addi in, an h me care c erage a allable ndar \checkmark in \checkmark ance lic.

Check ih wing wance c m, an fw mwe de ail n w mayorni c wage.

Breastfeeding... A Heal, h S₁ ar₁ f ▼ M ₁ hars and Babies

The American Academ of Pediapris

Tec mmends on large, feeding for the stars i

min, last of the babis life. The linger a mither

large, feeds, the greater the health bene so the infant. Breat fed babis are nits ick at five hich can liver medical bils.

M, hes h brea, feedrec er m et ickl f m childbr, hre in m era, idl, re-regnanc eigh, and are les likel, de el cor, ain brea, and arian cances. Ne Yiks brea, feeding m, hes i h las, ha, rec, her igh, brea, feed in, he hs i al, child da care facilitie, blic lace and a rk. Fr m e inf ma, i ns ee www.breastfeedingpartners.org

When You Go Home... Ma, ≪ nal De, ▼ &s i n

After giebit, h, ma feel, wed and a li, le or helmed b, he h ge, ak f caring for what Y who may change. For a fe das week, ma ha e, he bab ble hich can incl de feeling fs adnes, m ds ing, anger, an ie, and I self-e, eem. The bab ble are or c mm n and ill, as in, ime. Y with dc, we can $gge_{1}s$ me as 1 help 1 c with 1 definition.